



Internationale Vereinigung Anthroposophischer Ärztgesellschaften
International Federation of Anthroposophic Medical Associations
Fédération Internationale des Associations Médicales Anthroposophiques

Peter Zimmermann, M.D., Ph.D.
President

Vellamontie 4, FIN-15870 Hollola
Tel: +358 40 5109242, Fax: +358 3 7803905
E-mail: peter.zimmermann@ivaa.info

European Commission
DG Health and Consumer Protection
Scientific Committee on Emerging and Newly Identified Health Risks

Consultation Response to SCENIHR preliminary report on "The safety of dental amalgam and alternative dental restoration materials for patients and users"

The International Federation of Anthroposophic Medical Associations (IVAA) has carefully assessed the preliminary report "The safety of dental amalgam and alternative dental restoration materials for patients and users" (SCENIHR report) prepared by the Scientific Committee on Emerging and Newly Identified Health Risks on behalf of the European Commission. The IVAA cannot agree with or endorse the content, opinions and conclusions expressed in this report, for the following reasons:

The SCENIHR report does not present the existing scientific data on the safety of amalgam and alternative dental restoration materials in a systematic and transparent form. Instead, the SCENIHR report presents a highly selective compilation of singular studies and is based on personal opinions. The report does not enable readers to trace and evaluate this subjective and selective process. This deficiency could be demonstrated regarding a number of issues raised in the SCENIHR report; for the sake of brevity we will discuss only one:

The SCENIHR report, Section 3.3.6 deals with 'Adverse effects in individuals with amalgam restorations'. One relevant source of scientific information on this topic is studies of amalgam removal in subjects with suspected adverse reactions from amalgam restorations. Hence, in the subsection 'Localized mucosal reactions' (3.3.6.1, approximately 1½ pages long), the report cites five studies [1-5] reporting clinical outcomes after amalgam removal (but regrettably omits a corresponding systematic review by the first author of one of these studies [6]). In the following subsection 'Systemic reactions' (3.3.6.2, approximately 5½ pages), the report cites only one study of amalgam removal in subjects with suspected systematic adverse reactions from amalgam restorations [7]. However, the IVAA is at present aware of at least 35 studies published on this subject! Even after exclusion of grey publications and retrospective reports, 12 prospective studies published in dental journals or non-dental

President:
Vicepresident and Treasurer:
Secretary:
Council:

Peter Zimmermann, M.D., Ph.D., Vellamontie 4, FIN – 15870 Hollola
Georg Soldner, Paediatrician, Josef Retzer Str. 36, D – 81241 München
Andreas Arendt, M.D., Kasernenstr. 23, CH – 4410 Liestal
Michaela Glöckler, M.D., Medizinische Sektion / Goetheanum, CH – 4143 Dornach
Frank Mulder, G.P., Helios Medical Centre, 17 Stoke Hill, GB – Bristol BS9 1JN
Madeleen Winkler, G.P., Krugerlaan 79, NL – 2806 EC Gouda

EU Liaison-Office:

Rue du Trône 194, B – 1050 Bruxelles, Phone: +32 2 64 00 20, E-mail: g.schulz@ivaa.info

Accounting-Office:

Gesellschaft Anthroposophischer Ärzte in Deutschland, Roggenstr. 82, D – 70794 Filderstadt
Phone: +49 711 7799711, Fax: +49 711 7799712, E-mail: contact@ivaa.info, Homepage: www.ivaa.info

Bank-Accounts:

UBS, Arlesheim
CH – 4144 Arlesheim
IBAN: CH91002323392748740W
BIC UBSWCHZH80A

Deutsche Bank AG
D – 79004 Lörrach
IBAN: DE14683700240068851500
BIC DEUTDE33

Postscheckkonto
CH – Basel
40-14 197-5

Medline-indexed journals remain [7-18]. Thus, the SCENIHR report does not enable readers to verify whether the highly selective information conveyed on clinical outcomes after amalgam removal is representative for the available scientific data on this subject.

As this example demonstrates, the SCENIHR report does not contain a systematic information synthesis but is instead a narrative and highly selective product.


Similar deficiencies can be found in other parts of the SCENIHR report such as the abstract and the sections on exposure to mercury and psychological conditions.

Notably, studies, reviews and opinions supporting a more restrictive position on the use of dental amalgam are underrepresented or absent in the SCENIHR report. In order to assess the safety of amalgam and alternative dental restoration materials in a systematic, transparent and balanced fashion, the report would need to be completely rewritten. Summarizing, the SCENIHR report "The safety of dental amalgam and alternative dental restoration materials for patients and users" does not offer a sufficient basis for regulatory or political decisions on dental restorative materials.

Hollola, Finland, 17 February 2008



Dr Peter Zimmermann
President, IVAA



Dr Harald J Hamre
Scientific Advisor

References

1. Thornhill MH, Pemberton MN, Simmons RK, Theaker ED. Amalgam-contact hypersensitivity lesions and oral lichen planus. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2003; 95(3):291-299.
2. Laeijendecker R, Dekker SK, Burger PM, Mulder PG, van Joost T, Neumann MH. Oral lichen planus and allergy to dental amalgam restorations. *Arch Dermatol* 2004; 140(12):1434-1438.
3. Pigatto PD, Guzzi G, Persichini P, Barbadillo S. Recovery from mercury-induced burning mouth syndrome due to mercury allergy. *Dermatitis* 2004; 15(2):75-77.
4. Wong L, Freeman S. Oral lichenoid lesions (OLL) and mercury in amalgam fillings. *Contact Dermatitis* 2003; 48(2):74-79.
5. Issa Y, Duxbury AJ, Macfarlane TV, Brunton PA. Oral lichenoid lesions related to dental restorative materials. *Br Dent J* 2005; 198(6):361-366.
6. Issa Y, Brunton PA, Glenny AM, Duxbury AJ. Healing of oral lichenoid lesions after replacing amalgam restorations: a systematic review. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2004; 98(5):553-565.
7. Lygre GB, Gjerdet NR, Bjorkman L. A follow-up study of patients with subjective symptoms related to dental materials. *Community Dent Oral Epidemiol* 2005; 33(3):227-234.
8. Hovmand O. Oral galvanisme - erfaringer fra praksis. *Tandlaegebladet* 1987; 91(47):473-476.
9. Klock B, Blomgren J, Ripa U, Andrup B. Effekt of amalgamavlägsnande på patienter som misstänker att de lider eller har lidit of amalgamförgiftning. *Tandläkartidningen* 1989; 81(23):1297-1302.

10. Lindforss H, Marqvardsen O, Olsson S, Henningson M. Effekter på hälsan efter avlägsnandet av amalgamfyllingar. En odontologisk, medicinsk och psykosomatisk studie. Tandläkartidningen 1994; 86(4):205-211.
11. Stenman S, Grans L. Symptoms and differential diagnosis of patients fearing mercury toxicity from amalgam fillings. Scand J Work Environ Health 1997; 23 Suppl 3:59-63:59-63.
12. Engel P. Beobachtungen über die Gesundheit vor und nach Amalgamentfernung. Schweiz Monatsschr Zahnmed 1998; 108(8):811-814.
13. Lindh U, Hudecek R, Danersund A, Eriksson S, Lindvall A. Removal of dental amalgam and other metal alloys supported by antioxidant therapy alleviates symptoms and improves quality of life in patients with amalgam-associated ill health. Neuroendocrinol Lett 2002; 23(5-6):459-482.
14. Lygre GB, Gjerdet NR, Bjorkman L. Patients' choice of dental treatment following examination at a specialty unit for adverse reactions to dental materials. Acta Odontol Scand 2004; 62(5):258-263.
15. Nerdrum P, Malt UF, Hoglend P, Oppedal B, Gundersen R, Holte M et al. A 7-year prospective quasi-experimental study of the effects of removing dental amalgam in 76 self-referred patients compared with 146 controls. J Psychosom Res 2004; 57(1):103-111.
16. Prochazkova J, Sterzl I, Kucerova H, Bartova J, Stejskal VD. The beneficial effect of amalgam replacement on health in patients with autoimmunity. Neuro Endocrinol Lett 2004; 25(3):211-218.
17. Sterzl I, Prochazkova J, Hrda P, Matucha P, Bartova J, Stejskal VD. Removal of dental amalgam decreases anti-TPO and anti-Tg autoantibodies in patients with autoimmune thyroiditis. Neuro Endocrinol Lett 2006; 27(Suppl1).
18. Wojcik DP, Godfrey ME, Christie D, Haley BE. Mercury toxicity presenting as Chronic Fatigue, memory impairment and depression: Diagnosis, treatment, susceptibility, and outcomes in a New Zealand general practice setting (1994-2006). Neuro Endocrinol Lett 2006; 27(4).